

DETAIL

JAPANESE

LEGAL  
STATUS

## PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2000-232075

(43)Date of publication of application : 22. 08. 2000

(51)Int. Cl.

H01L 21/265

H01L 29/78

H01L 21/336

(21)Application number : 11-032784

(71)Applicant : OKI ELECTRIC IND CO LTD

(22)Date of filing : 10. 02. 1999


(72)Inventor : SHINOHARA HIROBUMI

## (54) MANUFACTURE OF SEMICONDUCTOR DEVICE

## (57) Abstract:

**PROBLEM TO BE SOLVED:** To permit formation of a MOS FET which reliably has a pocket layer, even when it becomes difficult to implant impurity ions from an oblique direction with respect to a silicon substrate, due to its miniaturization in steps of manufacturing a semiconductor device and in particular, a MOS FET having the pocket layer.

**SOLUTION:** A gate oxide film 111, a gate electrode 150 made of a polysilicon film 112 and a tungsten silicide film 113, and a nitride film pattern 140 are selectively formed on a P-type silicon substrate 110, and then the P-type silicon substrate is subjected to vertical implantation of P-type impurity ions with respect to the substrate. Then a P-type ion implanted region 120 formed by the P-type ion implantation is diffused and activated, to form a pocket layer 120a prior to the formation of other ion-implanted regions.














[図1]



[図2]




[図3]



[図4]



[図5]



[図6]

